| MDS Data Eler Determination | nent Used for FY 2020 SNF QRP APU | MDS 3.0 Asse | | | Data Collection Periods (CY 2018) | | Data Submission Specification | | | |
|--------------------------------|---|------------------------|-------------------------------------|--|---|--------------|----------------------------------|--------------|--------------|--|
| MDS Item | Data Element Label/Description | PPS 5-Day A0310B=01 | Part A PPS Discharge A0310H=1 | Q1, Q2, Q3, 2018 MDS 3.0 Version 1.15.1 | Q4 2018 MDS 3.0 Version 1.16.0 | Edit 3897 | Edit 3907 | Edit 3908 | Edit 3891 | |
| GG0130A1 | Eating (Admission Performance) | х | | X | X | Х | | | | |
| GG0130A2 | Eating (Discharge Goal) | х | | Х | х | | Х | | Х | |
| GG0130A3 | Eating (Discharge Performance) | | X | Х | х | Х | | | | |
| GG0130B1 | Oral hygiene (Admission Performance) | x | | x | х | X | | | | |
| GG0130B2 | Oral hygiene (Discharge Goal) | x | | x | х | | Х | | X | |
| GG0130B3 | Oral hygiene (Discharge Performance) | | x | x | х | X | | | | |
| GG0130C1 | Toileting hygiene (Admission Performance) | x | | x | х | X | | | | |
| GG0130C2 | Toileting hygiene (Discharge Goal) | x | | x | х | | Х | | X | |
| GG0130C3 | Toileting hygiene (Discharge Performance) | | x | x | X | X | | | | |
| GG0130E1 | Shower/bathe self (Admission Performance) | X | | | Х | | | | | |
| GG0130E2 | Shower/bathe self (Discharge Goal) | x | | | Х | | | | X | |
| GG0130E3 | Shower/bathe self (Discharge Performance) | | Х | | Х | | | | | |
| | | | | | | | | | | |

| MDS Data Eler Determinatior | nent Used for FY 2020 SNF QRP APU | MDS 3.0 Asse | MDS 3.0 Assessment Type | | Data Collection Periods (CY 2018) | | Data Submission Specification | | | |
|--------------------------------|---|------------------------|-------------------------------------|--|---|--------------|----------------------------------|--------------|--------------|--|
| MDS Item | Data Element Label/Description | PPS 5-Day A0310B=01 | Part A PPS Discharge A0310H=1 | Q1, Q2, Q3, 2018 MDS 3.0 Version 1.15.1 | Q4 2018MDS 3.0 Version 1.16.0 | Edit 3897 | Edit 3907 | Edit 3908 | Edit 3891 | |
| GG0130F1 | Upper body dressing (Admission Performance) | Х | | | x | | | | | |
| GG0130F2 | Upper body dressing (Discharge Goal) | Х | | | X | | | | Х | |
| GG0130F3 | Upper body dressing (Discharge Performance) | | Х | | Х | | | | | |
| GG0130G1 | Lower body dressing (Admission Performance) | X | | | Х | | | | | |
| GG0130G2 | Lower body dressing (Discharge Goal) | X | | | x | | | | Х | |
| GG0130G3 | Lower body dressing (Discharge Performance) | | x | | Х | | | | | |
| GG0130H1 | Putting on/taking off footwear (Admission Performance) | X | | | Х | | | | | |
| GG0130H2 | Putting on/taking off footwear (Discharge Goal) | Х | | | Х | | | | Х | |
| GG0130H3 | Putting on/taking off footwear (Discharge Performance) | | x | | Х | | | | | |
| GG0170A1 | Roll left and right (Admission Performance) | X | | | Х | | | | | |
| GG0170A2 | Roll left and right (Discharge Goal) | Х | | | Х | | | | Х | |
| GG0170A3 | Roll left and right (Discharge Performance) | | X | | Х | | | | | |
| GG0170B1 | Sit to lying (Admission Performance) | Х | | X | Х | Х | | | | |

| MDS Data Eler | nent Used for FY 2020 SNF QRP APU | MDS 3.0 Asse | essment Type | Data Collection | Data Submission | | | | |
|---------------|--|------------------------|-------------------------------------|--|---|---------------|--------------|--------------|--------------|
| Determination | | | | 2018) | | Specification | | | |
| MDS Item | Data Element Label/Description | PPS 5-Day A0310B=01 | Part A PPS Discharge A0310H=1 | Q1, Q2, Q3, 2018 MDS 3.0 Version 1.15.1 | Q4 2018MDS 3.0 Version 1.16.0 | Edit 3897 | Edit 3907 | Edit 3908 | Edit 3891 |
| GG0170B2 | Sit to lying (Discharge Goal) | Х | | Х | Х | | Х | | Х |
| GG0170B3 | Sit to lying (Discharge Performance) | | Х | X | Х | X | | | |
| GG0170C1 | Lying to sitting on side of bed (Admission Performance) | Х | | X | Х | Х | | | |
| GG0170C2 | Lying to sitting on side of bed (Discharge Goal) | Х | | X | Х | | Х | | Х |
| GG0170C3 | Lying to sitting on side of bed (Discharge Performance) | | х | X | Х | Х | | | |
| GG0170D1 | Sit to stand (Admission Performance) | Х | | X | x | Х | | | |
| GG0170D2 | Sit to stand (Discharge Goal) | Х | | Х | X | | Х | | X |
| GG0170D3 | Sit to stand (Discharge Performance) | | X | X | Х | Х | | | |
| GG0170E1 | Chair/bed-to-chair transfer (Admission Performance) | Х | | X | Х | Х | | | |
| GG0170E2 | Chair/bed-to-chair transfer (Discharge Goal) | Х | | X | x | | Х | | X |
| GG0170E3 | Chair/bed-to-chair transfer (Discharge Performance) | | X | X | Х | Х | | | |
| GG0170F1 | Toilet transfer (Admission Performance) | X | | Х | Х | Х | | | |
| GG0170F2 | Toilet transfer (Discharge Goal) | Х | | Х | Х | | Х | | X |

_____ (3)_____

| MDS Data Element Used for FY 2020 SNF QRP APU Determination | | MDS 3.0 Asse | MDS 3.0 Assessment Type | | Data Collection Periods (CY 2018) | | Data Submission Specification | | | |
|---|--|------------------------|-------------------------------------|---|---|---------------------------------|----------------------------------|--------------|--------------|--|
| MDS Item | Data Element Label/Description | PPS 5-Day A0310B=01 | Part A PPS Discharge A0310H=1 | Q1, Q2, Q3, 2018 MDS 3.0 Version 1.15.1 | Q4 2018MDS 3.0 Version 1.16.0 | Edit 3897 | Edit 3907 | Edit 3908 | Edit 3891 | |
| GG0170F3 | Toilet transfer (Discharge Performance) | | x | X | X | Х | | | | |
| GG0170G1 | Car transfer (Admission Performance) | X | | | X | | | | | |
| GG0170G2 | Car transfer (Discharge Goal) | X | | | X | | | | Х | |
| GG0170G3 | Car transfer (Discharge Performance) | | x | | X | | | | | |
| GG0170H1 | Does the resident walk? (Admission Performance) | х | | x | | Item deleted from MDS v 1.16 | | | | |
| GG0170H3 | Does the resident walk? (Discharge Performance) | | X | X | | ltem c 1.16 | leleted f | rom MD | S v | |
| GG0170I1 | Walk 10 feet (Admission Performance) | X | | | X | | | | | |
| GG0170I2 | Walk 10 feet (Discharge Goal) | X | | | X | | | | Х | |
| GG0170I3 | Walk 10 feet (Discharge Performance) | | x | | X | | | | | |
| GG0170J1 | Walk 50 feet with two turns (Admission Performance) | X | | X | X | Х | | | | |
| GG0170J2 | Walk 50 feet with two turns (Discharge Goal) | X | | X | X | | Х | | Х | |
| GG0170J3 | Walk 50 feet with two turns (Discharge Performance) | | x | X | X | Х | | | | |
| GG0170K1 | Walk 150 feet (Admission Performance) | X | | X | X | Х | | | | |

_____ (4)_____

| MDS Data Element Used for FY 2020 SNF QRP APU Determination | | MDS 3.0 Asse | essment Type | Data Collection Periods (CY 2018) | | Data Submission Specification | | | | | |
|--|---|------------------------|-------------------------------------|---|---|----------------------------------|--------------|--------------|--------------|--|--|
| Determination | | | | 2018) | | Specification | | | | | |
| MDS ltem | Data Element Label/Description | PPS 5-Day A0310B=01 | Part A PPS Discharge A0310H=1 | Q1, Q2, Q3, 2018 MDS 3.0 Version 1.15.1 | Q4 2018MDS 3.0 Version 1.16.0 | Edit 3897 | Edit 3907 | Edit 3908 | Edit 3891 | | |
| GG0170K2 | Walk 150 feet (Discharge Goal) | Х | | Х | Х | | Х | | Х | | |
| GG0170K3 | Walk 150 feet (Discharge Performance) | | Х | X | X | X | | | | | |
| GG0170L1 | Walk 10 feet on uneven surfaces (Admission performance) | Х | | | Х | | | | | | |
| GG0170L2 | Walk 10 feet on uneven surfaces (Discharge Goal) | X | | | X | | | | Х | | |
| GG0170L3 | Walk 10 feet on uneven surfaces (Discharge Performance) | | Х | | Х | | | | | | |
| GG0170M1 | 1 step (curb) (Admission Performance) | X | | | x | | | | | | |
| GG0170M2 | 1 step (curb) (Discharge Goal) | X | | | X | | | | Х | | |
| GG0170M3 | 1 step (curb) (Discharge Performance) | | X | | X | | | | | | |
| GG0170N1 | 4 steps (Admission Performance) | X | | | X | | | | | | |
| GG0170N2 | 4 steps (Discharge Goal) | X | | | X | | | | Х | | |
| GG0170N3 | 4 steps (Discharge Performance) | | X | | X | | | | | | |
| GG0170O1 | 12 steps (Admission Performance) | Х | | | Х | | | | | | |
| GG0170O2 | 12 steps (Discharge Goal) | Х | | | Х | | | | Х | | |

| MDS Data Element Used for FY 2020 SNF QRP APU Determination | | MDS 3.0 Asse | MDS 3.0 Assessment Type | | Data Collection Periods (CY 2018) | | Data Submission Specification | | | | |
|--|--|------------------------|-------------------------------------|--|---|--------------|----------------------------------|--------------|--------------|--|--|
| MDS Item | Data Element Label/Description | PPS 5-Day A0310B=01 | Part A PPS Discharge A0310H=1 | Q1, Q2, Q3, 2018 MDS 3.0 Version 1.15.1 | Q4 2018MDS 3.0 Version 1.16.0 | Edit 3897 | Edit 3907 | Edit 3908 | Edit 3891 | | |
| GG0170O3 | 12 steps (Discharge Performance) | | Х | | Х | | | | | | |
| GG0170P1 | Picking up object (Admission Performance) | X | | | Х | | | | | | |
| GG0170P2 | Picking up object (Discharge Goal) | X | | | Х | | | | Х | | |
| GG0170P3 | Picking up object (Discharge Performance) | | х | | Х | | | | | | |
| GG0170Q1 | Does the resident use a wheelchair and/or scooter? (Admission) | X | | X | X | | | | | | |
| GG0170Q3 | Does the resident use a wheelchair and/or scooter? (Discharge) | | х | X | Х | | | | | | |
| GG0170R1 | Wheel 50 feet with two turns (Admission Performance) | X | | X | Х | X | | | | | |
| GG0170R2 | Wheel 50 feet with two turns (Discharge Goal) | X | | X | Х | | Х | | Х | | |
| GG0170R3 | Wheel 50 feet with two turns (Discharge Performance) | | X | X | Х | Х | | | | | |
| GG0170RR1 | Indicate the type of wheelchair or scooter used (Admission) | X | | X | Х | X | | | | | |
| GG0170RR3 | Indicate the type of wheelchair or scooter used (Discharge) | | X | X | X | Х | | | | | |
| GG0170S1 | Wheel 150 feet (Admission Performance) | x | | X | X | X | | | | | |

_____ 6 **)**_____

| MDS Data Element Used for FY 2020 SNF QRP APU Determination | | MDS 3.0 Asse | MDS 3.0 Assessment Type | | Data Collection Periods (CY 2018) | | Data Submission Specification | | | | |
|--|---|------------------------|-------------------------------------|--|---|--------------|----------------------------------|--------------|--------------|--|--|
| MDS Item | Data Element Label/Description | PPS 5-Day A0310B=01 | Part A PPS Discharge A0310H=1 | Q1, Q2, Q3, 2018 MDS 3.0 Version 1.15.1 | Q4 2018 MDS 3.0 Version 1.16.0 | Edit 3897 | Edit 3907 | Edit 3908 | Edit 3891 | | |
| GG0170S2 | Wheel 150 feet (Discharge Goal) | Х | | X | х | | Х | | Х | | |
| GG0170S3 | Wheel 150 feet (Discharge Performance) | | Х | X | Х | X | | | | | |
| GG0170SS1 | Indicate the type of wheelchair or scooter used (Admission) | X | | X | Х | Х | | | | | |
| GG0170SS3 | Indicate the type of wheelchair or scooter used (Discharge) | | X | X | X | X | | | | | |
| H0400 | Bowel continence | X | | | x | | | | | | |
| 10900 | Peripheral vascular disease (PVD) or peripheral arterial disease (PAD) | X | | | X | | | | | | |
| 12900 | Diabetes mellitus (DM) | X | | | Х | | | | | | |
| J1900C | Number of falls since admission/entry or prior assessment: Major injury | | Х | X | Х | Х | | | | | |
| K0200A | Height (in inches) | X | | | X | | | | | | |
| K0200B | Weight (in pounds) | Х | | | х | | | | | | |
| M0300B1 | Number of Stage 2 pressure ulcers | | Х | x | Х | | | Х | | | |
| M0300B2 | Number of these Stage 2 pressure ulcers that were present upon admission/entry or reentry | | x | X | Х | | | Х | | | |

_____ **(** 7 **)**_____

| MDS Data Ele Determination | ment Used for FY 2020 SNF QRP APU n | MDS 3.0 Assessment Type | | Data Collection Periods (CY 2018) | | Data Submission Specification | | | |
|-------------------------------|--|-------------------------|-------------------------------------|---|---|----------------------------------|--------------|--------------|--------------|
| MDS Item | Data Element Label/Description | PPS 5-Day A0310B=01 | Part A PPS Discharge A0310H=1 | Q1, Q2, Q3, 2018 MDS 3.0 Version 1.15.1 | Q4 2018 MDS 3.0 Version 1.16.0 | Edit 3897 | Edit 3907 | Edit 3908 | Edit 3891 |
| M0300C1 | Number of Stage 3 pressure ulcers | | Х | Х | Х | | | Х | |
| M0300C2 | Number of these Stage 3 pressure ulcers that were present upon admission/entry or reentry | | X | X | Х | | | Х | |
| M0300D1 | Number of Stage 4 pressure ulcers | | Х | Х | х | | | X | |
| M0300D2 | Number of these Stage 4 pressure ulcers that were present upon admission/entry or reentry | | X | х | X | | | Х | |
| M0300E1 | Number of unstageable pressure ulcers/injuries due to non-removable dressing/device | | X | | X | | | Х | |
| M0300E2 | Number of these unstageable pressure ulcers/injuries due to non-removable dressing/device that were present upon admission/entry or reentry | | X | | X | | | X | |
| M0300F1 | Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar | | X | | X | | | Х | |
| M0300F2 | Number of these unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar that were present upon admission/entry or reentry | | X | | X | | | X | |

| MDS Data Element Used for FY 2020 SNF QRP APU Determination | | MDS 3.0 Assessment Type | | Data Collection Periods (CY 2018) | | Data Submission Specification | | | |
|---|--|-------------------------|----------------------------------|---|---|----------------------------------|--------------|--------------|--------------|
| MDS Item | Data Element Label/Description | PPS 5-Day A0310B=01 | Part A PPS Discharge A0310H=1 | Q1, Q2, Q3, 2018 MDS 3.0 Version 1.15.1 | Q4 2018MDS 3.0 Version 1.16.0 | Edit 3897 | Edit 3907 | Edit 3908 | Edit 3891 |
| M0300G1 | Number of unstageable pressure injuries presenting as deep tissue injury | | x | | X | | | Х | |
| M0300G2 | Number of these unstageable pressure injuries presenting as deep tissue injury that were present upon admission/entry or reentry | | x | | X | | | x | |
| N2001 | Drug Regimen Review | X | | | Х | Х | | | |
| N2003 | Medication Follow-up | x | | | Х | Х | | | |
| N2005 | Medication Intervention | | Х | | Х | Х | | | |

Resources:

MDS Submission Specifications v2.02.1 Unduplicated Edits Report by ID pages 84 and 85 8/9/2018

https://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/NursingHomeQualityInits/NHQIMDS30TechnicalInformation.html

Skilled Nursing Facility Quality Reporting Program (SNF QRP) Overview of Data Elements Used for Reporting Assessment-Based Quality Measures Affecting FY 2020 Annual Payment Update (APU) Determination May 2018

https://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/NursingHomeQualityInits/Skilled-Nursing-Facility-Quality-Reporting-Program/SNF-Quality-Reporting-Program-Measures-and-Technical-Information.html